



Consulting Scientists to the Disinfectant Industry

## Test Report

Product name: Toucan Eco

Batch or ref no:

Manufacturer or Centrego Ltd

supplier:
The Coach House, Newbury, Frome, BA11 3RG

Sample ref: 18A/071 Date received: 23 January 2018

Date tested: 24 January 2018 Certificate date: 26 January 2018

Certificate no: 18A.071SB.CEG Page: 1 of 7

Analysis required: EN 13697:2015, Chemical disinfectants and antiseptics -

Quantitative non-porous surface test for the evaluation of

bactericidal and/or fungicidal activity of chemical disinfectants used in food, industrial, domestic and

institutional areas - Test method and requirements without

mechanical action (phase 2, step 2)

Storage conditions: Room temperature in darkness

Appearance of Clear colourless liquid

product (solution):

Active substance(s) A solution of Hypochlorous acid generated using a single

and their activation of Centrego's Toucan Electrochemical Activation

concentration(s): (ECA) system

### Notes

The test results in this report relate only to the sample(s) tested. This test report may not be reproduced except in full, adapted, altered or used to create a derivative work, without written approval from Abbott Analytical.

D C Watson BSc, CBiol, MRSB

Abbott Analytical Limited Unit 2, Hickmans Road, Birkenhead, CH41 1JH, United Kingdom Telephone: +44 (0)151 345 6753 email: enqs@abbottanalytical.co.uk www.abbottanalytical.co.uk





#### Consulting Scientists to the Disinfectant Industry

Certificate no: 18A.071SB.CEG Date: 26 January 2018 Page: 2 of 7

**Experimental conditions** 

Concentration(s) of product tested: Neat as received

Product diluent: N/A

Test organism(s): Pseudomonas aeruginosa (DSM 939)

Escherichia coli (NCTC 10418)

Staphylococcus aureus (NCTC 10788)

Enterococcus hirae (DSM 3320)

Contact time(s):  $1 \min \pm 5 s$ 

Test temperature: Between 18 °C ± 1 °C and 25 °C ± 1 °C

(room temperature)

Test conditions: Clean

Interfering substance: 0.3 g/l bovine albumin

Method: Dilution-neutralisation

Neutralising solution: 30 g/l Polysorbate 80 + 3g /l Lecithin +

1 g/l L-histidine + 1 g/l L-cysteine

Incubation temperature: 36  $^{\circ}$ C  $\pm$  1  $^{\circ}$ C

#### Remarks

The standard EN 13697:2015 method requires that clean conditions of 8.5 g/l reconstituted milk should be used for *Pseudomonas aeruginosa*, with 0.3 g/l bovine albumin for the other three obligatory organisms.

However, in line with current ECHA guidance and the requirements of EN 14885:2015, 0.3 g/l bovine albumin was used for all four organisms in this test.

D C Watson BSc, CBiol, MRSB

Abbott Analytical Limited Unit 2, Hickmans Road, Birkenhead, CH41 1JH, United Kingdom Telephone: +44 (0)151 345 6753 email: enqs@abbottanalytical.co.uk www.abbottanalytical.co.uk





### Consulting Scientists to the Disinfectant Industry

Certificate no: 18A.071SB.CEG Date: 26 January 2018 Page: 3 of 7

#### Conclusion

When tested neat this sample of Toucan Eco meets the requirements of EN 13697:2015 for bactericidal activity in 1 minute at 20 °C, under clean conditions, against the referenced strains of *Pseudomonas aeruginosa*, *Escherichia coli*, *Staphylococcus aureus*, and *Enterococcus hirae*.

D C Watson BSc, CBiol, MRSB

Abbott Analytical Limited Unit 2, Hickmans Road, Birkenhead, CH41 1JH, United Kingdom

Registered address: Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom Telephone: +44 (0)151 345 6753 email: enqs@abbottanalytical.co.uk www.abbottanalytical.co.uk





### Consulting Scientists to the Disinfectant Industry

Certificate no: 18A.071SB.CEG Date: 26 January 2018 Page: 4 of 7

### Results: Pseudomonas aeruginosa (DSM 939)

## Validation and controls:

Bacteri	al test		Neutral:	izer tox	icity	Method			
suspens	suspension (N)			control (NC)			validation (NT)		
	Vc1 Vc2			Vc1	Vc2		Vc1	Vc2	
10 -6	232	228	10 -3	201	199	10 -3	207	204	
10 -7	27	24	10 -4	30	27	10 -4	26	29	
			10 -5	2	1	10 -5	2	2	
$\overline{\varkappa}$ (wm) =	5.81	x10 <sup>6</sup>	$\overline{\varkappa}$ (wm) =	2.08	x10 <sup>6</sup>	$\overline{\varkappa}$ (wm) =	2.12	x10 <sup>6</sup>	
lg =	6.76		lg =	6.32		lg =	6.33		
6.57 ≤	$lg N \leq 7$	.10 ?	ж (NC)	≥ 0.5 x	ж (Nc)?	<del>и</del> (NT)	≥ 0.5 x	ж (Nc)?	
⊠ yes	□ no		⊠ yes	□ no		⊠ yes	□ no		
Control	of weig	hted	Quotien	t = 9.02	2				
mean co	unts (N)		Between	5 and 1	5 ?		🛛 yes	□ no	

#### Water control:

NC	Vc1	Vc2	$\sqrt{\kappa} \text{ (wm)} = 2.07 \times 10^{-6}$		
10 -3	197	202	lg NC = 6.32		
10 -4	26	31	$lg Nc \ge 6.27 ?$	⊠ yes	□ no
10 -5	1	4			
Ntw	>100				

### Test:

Product	Contact	Diln.	Vc1	Vc2	$Nd = \overline{\varkappa} \text{ (wm)} \times 10$	lg R =	Status
test conc	. time	step			lg Nd =	(lg Nc - lg Nd)	
Neat	1 min	10 0	0	0	< 2.15	> 4.17	PASS
		10 -1	0	0			
		10 -2	0	0			
		Nts	0				

Registered address: Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom





### Consulting Scientists to the Disinfectant Industry

Certificate no: 18A.071SB.CEG Date: 26 January 2018 Page: 5 of 7

### Results: Escherichia coli (NCTC 10418)

# Validation and controls:

Bacteri	al test		Neutral	izer tox	icity	Method		
suspens	suspension (N)			(NC)		validat	ion (NT)	
Vc1 Vc2				Vc1	Vc2		Vc1	Vc2
10 -6	184	196	10 -3	186	222	10 -3	190	181
10 -7	20	22	10 -4	23	19	10 -4	21	20
			10 -5	1	2	10 -5	0	3
$\overline{\varkappa}$ (wm) =	4.80	x10 <sup>6</sup>	$\sqrt{\pi} \text{ (wm)} = 2.05 \times 10^{6}$			$\overline{\varkappa}$ (wm) =	1.87	x10 <sup>6</sup>
lg =	6.68		lg = 6.31			lg =	6.27	
6.57 ≤	$lg N \leq 7$	.10 ?	$\overline{\varkappa}$ $(NC) \ge 0.5 \times \overline{\varkappa}$ $(Nc)$ ?			$?   \overline{x} (NT) \ge 0.5 \times \overline{x} (Nc)$		
🛛 yes 🗌 no			🛛 yes 🗌 no			⊠ yes	□ no	
Control of weighted			Quotient = 9.05					
mean co	unts (N)		Between	5 and 1	5 ?		🛛 yes	□ no

#### Water control:

r						
	NC	Vc1	Vc2	$\sqrt{\pi} \text{ (wm)} = 1.87 \times 10^6$		
	10 -3	190	179	lg NC = 6.27		
	10 -4	20	22	$lg Nc \ge 6.27 ?$	🛛 yes	□ no
	10 -5	3	3			
	Ntw	>100				

#### Test:

Product	;	Contact	Diln.	Vc1	Vc2	$Nd = \overline{x} \text{ (wm)} \times 10$	lg R =	Status
test co	onc.	time	step			lg Nd =	(lg Nc - lg Nd)	
Nea	t	1 min	10 0	0	0	< 2.15	> 4.12	PASS
			10 -1	0	0			
			10 -2	0	0			
			Nts	0				

D C Watson BSc, CBiol, MRSB

Abbott Analytical Limited Unit 2, Hickmans Road, Birkenhead, CH41 1JH, United Kingdom

Registered address: Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Telephone: +44 (0)151 345 6753 email: enqs@abbottanalytical.co.uk www.abbottanalytical.co.uk





### Consulting Scientists to the Disinfectant Industry

Certificate no: 18A.071SB.CEG Date: 26 January 2018 Page: 6 of 7

### Results: Staphylococcus aureus (NCTC 10788)

Validation and controls:

Bacteri	al test		Neutral	izer tox	icity	Method			
suspens	ion (N)		control	(NC)		validat	validation (NT)		
Vc1 Vc2				Vc1	Vc2		Vc1	Vc2	
10 -6	256	218	10 -3	230	229	10 -3	231	238	
10 -7	28	32	10 -4	28	31	10 -4	23	30	
			10 -5	4	7	10 -5	2	5	
$\overline{\varkappa}$ (wm) =	6.07	x10 <sup>6</sup>	$\overline{\varkappa}$ (wm) =	2.35	x10 <sup>6</sup>	$\frac{1}{\kappa}$ (wm) =	2.37	x10 <sup>6</sup>	
lg =	6.78		lg = 6.37			lg =	6.38		
6.57 ≤	$lg N \leq 7$	.10 ?	ж (NC)	≥ 0.5 x	ж (Nc)?	<del>и</del> (NT)	≥ 0.5 x	π (Nc)?	
🛛 yes 🗌 no							□ no		
Control of weighted			Quotient = 7.90			•			
mean co	unts (N)		Between	5 and 1	5 ?		⊠ yes	□ no	

Water control:

NC	Vc1	Vc2	$\pi$ (wm) = 2.35 x10 <sup>6</sup>		
10 -3	240	224	lg Nc = 6.37		
10 -4	28	26	$lg Nc \ge 6.27 ?$	⊠ yes	□ no
10 -5	2	4			
Ntw	>100				

Test:

Product	Contact	Diln.	Vc1	Vc2	$Nd = \overline{x} \text{ (wm)} \times 10$	lg R =	Status
test conc.	time	step			lg Nd =	(lg Nc - lg Nd)	
Neat	1 min	10 0	18	20	2.28	4.09	PASS
		10 -1	2	4			
		10 -2	0	0			
		Nts	2				

D C Watson BSc, CBiol, MRSB

Registered address: Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Telephone: +44 (0)151 345 6753





### Consulting Scientists to the Disinfectant Industry

Certificate no: 18A.071SB.CEG Date: 26 January 2018 Page: 7 of 7

### Results: Enterococcus hirae (DSM 3320)

## Validation and controls:

Bacteri	al test		Neutral	izer tox	icity	Method		
suspens	suspension (N)			(NC)		validat:	ion (NT)	
Vc1 Vc2				Vc1	Vc2		Vc1	Vc2
10 -6	280	252	10 -3	253	269	10 -3	266	259
10 -7	26	24	10 -4	30	27	10 -4	28	31
			10 -5	3	6	10 -5	3	3
$\frac{-}{\kappa}$ (wm) =	6.61	x10 <sup>6</sup>	$\sqrt{\pi} \text{ (wm)} = 2.63 \times 10^{6}$			$\frac{1}{\kappa}$ (wm) =	2.65	x10 <sup>6</sup>
lg =	6.82		lg = 6.42			lg =	6.42	
6.57 ≤	$lg N \leq 7$	.10 ?	$\overline{\kappa}$ (NC) $\geq$ 0.5 x $\overline{\kappa}$ (Nc)?			π (NT)	≥ 0.5 x	ж (Nc)?
⊠ yes □ no			ĭ yes □ no			⊠ yes	□ no	
Control of weighted			Quotient = 10.64					
mean co	unts (N)		Between	5 and 1	5 ?		🛛 yes	□ no

#### Water control:

Nc	Vc1	Vc2	$\pi$ (wm) = 2.64 x10 <sup>6</sup>		
10 -3	272	248	$\log NC = 6.42$		
10 -4	32	29	$lg Nc \ge 6.27 ?$	🛛 yes	□ no
10 -5	2	5			
Ntw	>100				

#### Test:

Produc	t	Contact	Diln.	Vc1	Vc2	$Nd = \overline{x} \text{ (wm)} \times 10$	lg R =	Status
test c	onc.	time	step			lg Nd =	(lg Nc - lg Nd)	
Nea	at	1 min	10 0	27	21	2.38	4.04	PASS
			10 -1	4	3			
			10 -2	1	0			
			Nts	2				

D C Watson BSc, CBiol, MRSB

Abbott Analytical Limited Unit 2, Hickmans Road, Birkenhead, CH41 1JH, United Kingdom

Registered address: Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom Telephone: +44 (0)151 345 6753 email: enqs@abbottanalytical.co.uk www.abbottanalytical.co.uk