SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/4

Fabulosa Antibacterial Spray

Revision 0
Revision date 2020-04-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name	Fabulosa Antibacterial Spray				
1.2. Relevant identified uses of the substance or mixture and uses advised against					
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);				
1.3. Details of the supplier of the	safety data sheet				
Company Address Web Telephone Fax Email Email address of the	My Fabulosa Ltd The Forge Crewe Hall Farm Crewe Cheshire CW1 5UE myfabulosa.co.uk 0844 335 0816 0844 335 0854 info@myfabulosa.co.uk info@myfabulosa.co.uk				
competent person	ino emyrabulosa.co.uk				
Company Address	My Fabulosa Ltd Unit 3B, Apollo Park, University Way Crewe CW1 6HX				
Web Telephone Fax Email Email address of the competent person	myfabulosa.co.uk 0844 335 0816 0844 335 0854 info@myfabulosa.co.uk info@myfabulosa.co.uk				
1.4. Emergency telephone number					
Emergency telephone number	08443350816				
Company	James Sharpe 8.30 - 5				

2.2. Label elements

Hazard Statement

SECTION 2: Hazards identification

No Significant Hazard

O

Fabulosa Antibacterial Spray

Revision

Revision date 2020-04-17

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Organic Alcohol	603-001-00-X	67-56-1	200-659-6		0.5 - 1%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;
Benzalkonium Chloride		68424-85-1			0 - 0.5%	Met. Corr. 1: H290; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

SECTION 8: Exposure controls/personal protection

Fabulosa Antibacterial Spray

Revision 0
Revision date 2020-04-17

8.1. Control parameters

Organic Alcohol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266		
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		
8.2. Exposure controls	Г			
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.			
8.2.2. Individual protection measures	Wear chemical protective clothing.			
Eye / face protection	Approved safety goggles.			
Skin protection - Handprotection	Chemical resistant gloves (PVC).			
Respiratory protection	Wear:. Suitable respiratory equipment.			
SECTION 9: Physical and che	emical properties			
9.1. Information on basic physica	al and chemical properties			
Appearance	Liquid			
	Violet			
Odour	Characteristic			
Relative density	0.99 - 1.01 (H2O = 1 @ 20 °C)			
Solubility	Soluble in water			
SECTION 10: Stability and re	activity			
10.2. Chemical stability				
	Stable under normal conditions.			
SECTION 11: Toxicological ir	nformation			
11.1.4. Toxicological Information				
	No data available			
SECTION 12: Ecological info	rmation			
12.1. Toxicity				

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

Fabulosa Antibacterial Spray

Revision 0
Revision date 2020-04-17

14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for use	r
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
Further information	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory info	prmation
	nental regulations/legislation specific for the substance or mixture
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
SECTION 16: Other information	on
Other information	
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs . STOT SE 2: H371 - May cause damage to organs . Met. Corr. 1: H290 - May be corrosive to metals. Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.