

According to 1907/2006/EC (REACH), 2015/830/EU (THIS SDS IS JUST FOR INFORMATIVE PURPOSE. THE SDS SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)

Liquid stain remover (Ecolabel)

UFI CODE: HJ2K-G3WR-D00E-17MN
Relevant identified uses of the substance or mixture and uses advised against:
Relevant uses: Detergent for cleaning clothes
Uses advised against: All uses not specified in this section or in section 7.3
Details of the supplier of the safety data sheet:
Ecozone Ltd
Barley Mow Centre,
Barley Mow Passage,
Chiswick, London
W4 4PH
Phone: 0345 230 4200
https://ecozone.com/



Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Dam. 1: Serious eye damage, Category 1, H318 Label elements: CLP Regulation (EC) No 1272/2008: Danger Hazard statements: Eye Dam. 1: H318 - Causes serious eye damage Precautionary statements:

P102: Keep out of reach of children P302+P352: IF ON SKIN: Wash with plenty of water

Classification of the substance or mixture: CLP Regulation (EC) No 1272/2008:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332+P313: If skin irritation occurs: Get medical advice/attention

P337+P313: If eye irritation persists: Get medical advice/attention

Substances that contribute to the classification

Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts; Alcohols, C13-15, branched and linear, ethoxylated (7 EO)

2.3 Other hazards:

2.1

2.2

Product fails to meet PBT/vPvB criteria

MARKET)



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Tensoactive/s

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)

Liquid stain remover (Ecolabel)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification	Concentral
CAS: 68891-38-3 EC: 500-234-8 Index: Non-applicable REACH: 01-2119488639-16-	Self Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts ⁽¹⁾	-classified 4 - <7 %
XXXX	Regulation 1272/2008	
	Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	()
CAS: 157627-86-6 EC: 500-337-8 Index: Non-applicable	Self Alcohols, C13-15, branched and linear, ethoxylated (7 EO) ⁽¹⁾	-classified
REACH: Non-applicable	Regulation 1272/2008	1 4
	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	
CAS: 29329-71-3 EC: 249-559-4	Self	-classified
Index: Non-applicable REACH: 01-2119510382-52-	(1-hydroxyethylidene)bisphosphonic acid, sodium salt (4 Na) ⁽¹⁾	<1,8 %
XXXX	Regulation 1272/2008	



¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

MARKET)



SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture: As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

According to 1907/2006/EC (REACH), 2015/830/EU (THIS SDS IS JUST FOR INFORMATIVE PURPOSE. THE SDS SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)

Liquid stain remover (Ecolabel)

SECTION 5: FIREFIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

MARKET)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	35 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE

MARKET)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

MARKET)



8.1	Control parameters	:					
		upational exposure limits have onal exposure limits for the su				orkers):	
				Short e	xposure	Long	exposure
	I	dentification		Systemic	Local	Systemic	Local
	sulfates, sodium salts	mbered), ethoxylated < 2.5 EO,	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	CAS: 68891-38-3 EC: 500-234-8		Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable
			Inhalation	Non-applicable	Non-applicable	175 mg/m ³	Non-applicable
			Short e	xposure	Long	exposure	
	I	dentification		Systemic	Local	Systemic	Local
PNEC	Alcohols, C12-14(even nu sulfates, sodium salts	imbered), ethoxylated < 2.5 EO,	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
	CAS: 68891-38-3		Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable
	EC: 500-234-8		Inhalation	Non-applicable	Non-applicable	52 mg/m ³	Non-applicable
	(1-hydroxyethylidene)bis	phosphonic acid, sodium salt (4 Na)	Oral	6,5 mg/kg	Non-applicable	6,5 mg/kg	Non-applicable
	CAS: 29329-71-3		Dermal				
	EC: 249-559-4			Non-applicable	Non-applicable	Non-applicable	Non-applicable
			Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	I	dentification					
	Alcohols, C12-14(even nu	umbered), ethoxylated < 2.5 EO,	STP	10000 mg/L	Fresh water	(),24 mg/L
	sulfates, sodium salts	nd hygiene measures in the wo					
	EC: 500-234-8		Soil	0,946 mg/kg	Marine water	(),024 mg/L
			Intermittent	0,071 mg/L	Sediment (Fresh	water)	5,45 mg/kg
			Oral	Non-applicable	Sediment (Marine	water)),545 mg/kg
	(1-hydroxyethylidene)bisphosphonic acid, sodium salt (4 Na)		STP	20 mg/L	Fresh water	(),134 mg/L
	CAS: 29329-71-3 EC: 249-559-4		Soil	41 mg/kg	Marine water	(),014 mg/L
			Intermittent	Non-applicable	Sediment (Fresh	water)	59 mg/kg
			Oral	12000 g/kg	Sediment (Marine	water)	5,9 mg/kg
	marking>> cleaning, maintena see subsection 7.1 All information con	tative measure it is recomment in accordance with Directive ince, class of protection,) co tained herein is a recommend ther the company has additional	89/686/EC. For nsult the inforr lation which ne	[•] more informatior nation leaflet prov eds some specific	n on Personal Pro vided by the man	tective Equipm ufacturer. For i	ent (storage, use more information
	B Respiratory protect	tion					
	The use of protecti	on equipment will be necessa	ry if a mist forr	ns or if the occup	ational exposure	limits are exce	eded.
	C Specific protection	for the hands					
	Pictogram		Labelling	CEN Standard		Remarks	size of d
	Mandatory hand protection	Protective gloves against minor risks	E AT I		prolonged p professional CE III	periods of exposur	
	"As the product is	a mixture of several substanc therefore to be checked prior t			naterial can not b	e predicted in a	advance with tota
	D Ocular and facial p	rotection					

Liquid stain remover (Ecolabel)

SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)



Liquid stain remover (Ecolabel)

Anti-slip work shoes Energency measure Energency measure Energency measure Energency measure Energency measure Standards Energency measure DIN 12 899 Its 0 3864-1:2011 DIN 12 899	Additional emergency measures Each projections Is a risk of splashing. Additional emergency measures Additional emergency measures Emergency measure Standards Emergency measure Additional emergency measures Iso 3864-1:2011, ISO 3864-4:2011 Emergency measure Standards Emergency measure	Sector projection is a risk of splashing. Implementation free protection Implementation for the properties of profound exposure to the properties of the profound exposure to the profound exposure to the properties of the profound exposure to the profound	Anti-silp work shoes Exect (III) Exect (III) F Anti-silp work shoes CAT (II) Replace before any evidence of detoriant periods of profossional/mutations in ES29.2013, BN ISO 6530:2005, ENISD 138 (III) is the III (IIII) is the IIII (IIIII) is the IIIII (IIIII) is the IIIII (IIIIII) is the IIIII (IIIIIII) is the IIIII (IIIIIIIII) is the IIIIII (IIIIIIIII) is the IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Pio	togram	PPE Panoramic glasses agains	Labelling	CEN Standard EN 166:2001 E		Remarks Clean daily and disinfect periodical
Pictogram PPE Labelling CEN Standard Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recoming in accordance with the regulations in El 6529:2013, EN ISO 6530:2005, EN ISO 132 EN 464:1994. F Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deteriorat periods of prolonged exposure to the propressional/industrial users CE III is recoming accordance with the regulations in El 6529:2013, EN ISO 530:2005, EN ISO 132 EN 464:1994. Body protection Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deteriorat periods of prolonged exposure to the propressional/industrial users CE III is recoming accordance with the regulations in El 20345:2012 y EN 13832-1:2007 Body protection Standards Emergency measures Emergency measures Ansi Z358-1 DIN 12 299 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011	Pictogram PPE Labelling CEN Standard Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recommended in the regulations in E 6529:2013, EN ISO 330:2005, EN ISO 13 EN 464:1994. F Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recommended in the regulations in E 6529:2013, EN ISO 330:2005, EN ISO 13 EN 464:1994. Body protection CEN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recommended in accordance with the regulations in E 20345:2012 y EN 13832-1:2007 Body protection CEN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recommended in accordance with the regulations in E 20345:2012 y EN 13832-1:2007 Body protection CEN III is recommended in the regulations in E 20345:2012 y EN 13832-1:2007 Additional emergency measures Emergency measures Emergency measures Standards ISO 3864-1:2011, ISO 3864-4:2011 DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011	Pictogram PPE Labelling CEN Standard Replace before any evidence of deterination of the professional industrial users (CE III is recompressional users (CE III is recompressi	Pictogram PPE Labelling CEN Standard Replace before any evidence of deterioral periods of prolonged exposure to the proprofessional/industrial uses CE III is recommended to avoid environmentat F. Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial uses CE III is recommended to avoid environmentat Sody protection Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial uses CE III is recommended to avoid environmentat Additional emergency measures EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial uses CE III is recommended to avoid environmentation			splash/projections.				
Mork clothing Replace before any evidence of deterioral periods of prolonged exposure to the promore processional/industrial users CE III is recommon in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal periods of prolonged exposure to the promore in accordance with the regulations in Electronal experisional/industrial users CE III is recommon in accordance with the regulations in Electronal experisional/industrial users CE III is recommon provide exposure to the promore in accordance with the regulations in Electronal experisional/industrial users CE III is recommon provide exposure to the provide exposure to the promore in accordance with the regulations in Electronal experisional/industrial users CE III is recommon provide experisional industrial users CE III is recommon experisional industrial users CE III is recommon experisional industrial users CE III is recommon experisional industrial users CE IIII is recommon experisional industrial users CE III is rec	Mork clothing Replace before any evidence of deterioral periods of prolonged exposure to the pro- more simulation situation and the regulations in a coordance with the regulations in a 5529:2013, EN ISO 6530:2005, EN ISO 133 EN 464:1994. Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the pro- more simulation and the regulations in E 6529:2013, EN ISO 6530:2005, EN ISO 133 EN 464:1994. Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the pro- or possional/industrial users CE III is recom- in accordance with the regulations in E 20345:2012 y EN 13832-1:2007 Body protection Sody protection	Vork clothing Control of the product of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recommended with the regulations in E 6529:2013, EN ISO 6332:0032, EN ISO 133 Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the propressional/industrial users CE III is recommended to professional/industrial users CE IIII is recommended to professional/industrial users CE III is recommended to professional industrial users CE III is recommended to professional i	Vork clothing Replace before any evidence of deterioral periods of prolonged exposure to the pro-professional/industrial users CE III is recominant of the regulations in E 6529:2013, EN ISO 633:2005, EN ISO 13 EN 464:1994. Anti-slip work shoes EN ISO 20347:2012 Replace before any evidence of deterioral periods of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of prolonged exposure to the pro-professional/industrial users CE III is recominant of the protection Additional emergency measures III is provide the protection of the environment it is recommended to avoid environmentate			PPE	Labelling	CEN Standard		Remarks
Additional emergency measures Emergency measures Emergency measures Image: Standards Image: Standards Emergency measure Sody protection Image: Standards Image: Standards Image: Standards Image:	Additional emergency measures Emergency measures Emergency measures Instandards Emergency measures Instandards Iso 3864-1:2011, ISO 3864-4:2011 Instandards Iso 3864-1:2011, ISO 3864-4:2011 Instandards	Additional emergency measures Emergency measures Emergency measure Image: Standards Emergency measure Image: Standards Image: Standards Image: Standards	Additional emergency measures Emergency measures Emergency measures Image: Standards Image: Standards Image: Standards Emergency measures Image: Standards Image: Standards Image: Standards			Work clothing	CE		perio profess in a	ds of prolonged exposure to the pro- sional/industrial users CE III is recom accordance with the regulations in El 013, EN ISO 6530:2005, EN ISO 136
Additional emergency measures Emergency measure Standards Emergency measure Standards ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011	Additional emergency measures Emergency measure Standards Emergency measure Standards ANSI 2358-1 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011	Additional emergency measures <u>Emergency measure</u> <u>Standards</u> <u>Emergency measure</u> <u>Standards</u> <u>ANSI 2358-1</u> ISO 3864-1:2011, ISO 3864-4:2011 <u>Standards</u> <u>ISO 3864-1:2011, ISO 3864-4:2011</u> <u>Standards</u> <u>ISO 3864-1:2011, ISO 3864-4:2011</u> <u>Standards</u> <u>ISO 3864-1:2011, ISO 3864-4:2011</u> <u>Standards</u> <u>ISO 3864-1:2011, ISO 3864-4:2011</u> <u>Standards</u> <u>ISO 3864-1:2011, ISO 3864-4:2011</u> <u>ISO 3864-1:2011, ISO 3864-1:2011</u> <u>ISO 3864-1:2011, ISO 3864-1:2011</u> <u>ISO 3864</u>	Additional emergency measures Emergency measure Standards ANSI 2358-1 DIN 12 899 Iso 3864-1:2011, ISO 3864-4:2011 Iso 3864-1:2011, ISO 3864-4:2011 Emergency shower Standards Iso mergency shower Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso 3864-1:2011, ISO 3864-4:2011 Iso assert and the standards Iso assert and the sta			Anti-slip work shoes	CE	EN ISO 20347:2012	perio profess	ds of prolonged exposure to the pro- sional/industrial users CE III is recom- accordance with the regulations in El
ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 DIN 12 899 ISO 3864-1:2011, ISO 3864-4: Emergency shower Eyewash stations	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 DIN 12 899 ISO 3864-1:2011, ISO 3864-4: Emergency shower Eyewash stations	, .	otection				I	
ISO 3864-1:2011, ISO 3864-4:2011	ISO 3864-1:2011, ISO 3864-4:2011	ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 Emergency shower Eyewash stations	ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 Emergency shower Eyewash stations Iformental exposure controls: ccordance with the community legislation for the protection of the environment it is recommended to avoid environmental	Addition	al emergency					
		ironmental exposure controls:	ironmental exposure controls: ccordance with the community legislation for the protection of the environment it is recommended to avoid environmenta	Addition	al emergency	re		Emergency meas	ure	
ccordance with the community legislation for the protection of the environment it is recommended to avoid environmental				Addition: Em ironme ccordan	al emergency ergency measu ergency showe ntal exposi ce with the c	re Al ISO 3864-1:2 r u re controls: community legislation f	NSI Z358-1 2011, ISO 3864-4:201	1 Eyewash station	15	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:
ccordance with the community legislation for the protection of the environment it is recommended to avoid environmental				Addition: Em ironme ccordan	al emergency ergency measu ergency showe ntal exposi ce with the c	re Al ISO 3864-1:2 r u re controls: community legislation f	NSI Z358-1 2011, ISO 3864-4:201	1 Eyewash station	15	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:

MARKET)





SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

MARKET)

Appearance:	
Physical state at 20 °C:	Liquid
Appearance: Gel Colour: Yellowish	
Odour:	Characteristic
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 20 °C:	Non-applicable *
Vapour pressure at 50 °C:	12370,35 Pa (12,37 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	1045 - 1055 kg/m³
Relative density at 20 °C:	1,045 - 1,055
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *

SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)

Liquid stain remover (Ecolabel)

TON 9: PHYSICAL AND C		(continued)	
		72.02	
pH: Vapour density at 20 ºC:		7,2 - 8,2 Non-applicable *	
Partition coefficient n-octa	nol/water 20 ºC:	Non-applicable *	
Solubility in water at 20 °C	:	Non-applicable *	
Solubility properties:		Non-applicable *	
Decomposition temperatur	e:	Non-applicable *	
Melting point/freezing poir	t:	Non-applicable *	
Explosive properties:	Non-applicable *	Oxidising properties:	Non-applicable *
Flammability:			
Flash Point:		Non Flammable (>60 °C)	
Flammability (solid, gas):		Non-applicable *	
Autoignition temperature:		535 °C	
Lower flammability limit:		Non-applicable *	
Upper flammability limit:		Non-applicable *	
Explosive:			
Lower explosive limit:	Non-applicable *	Upper explosive limit:	Non-applicable *
	- (0)	ITINUED ON NEXT PAGE -	

Date of compilation: 31.07.2020 Version: 1



MARKET)

9.2 Other information:

Surface tension at 20 °C:

Non-applicable * Non-applicable *

Refraction index:

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

ŀ	Applicable for handling and storage at room temperature:					
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.5

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)

Liquid stain remover (Ecolabel)





SECTION 11: TOXICOLOGICAL INFORMATION (continued)



product itself is not available

The experimental information related to the toxicological properties of the

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3. Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3. IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it
 - does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Alcohols, C13-15, branched and linear, ethoxylated (7 EO) CAS: 157627-86-6	LD50 oral	500 mg/kg (ATEi)	
EC: 500-337-8			
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

MARKET)



(1-hydroxyethylidene)bisphosphonic acid, sodium salt (4 Na) CAS: 29329-71-3	LD50 oral	500 mg/kg (ATEi)	
EC: 249-559-4	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	



SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:	Identification		Acute toxicity	Species	Genus
	Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts CAS: 68891-38-3	LC50	7.1 mg/L (96 h)	Danio rerio	Fish
	EC: 500-234-8	EC50	7.4 mg/L (48 h)	Daphnia magna	Crustacean
		EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae
	Alcohols, C13-15, branched and linear, ethoxylated (7 EO) CAS: 157627-86-6	LC50	10 - 100 mg/L (96 h)		Fish
	EC: 500-337-8		10 - 100 mg/L		Crustacean
		EC50	10 - 100 mg/L		Algae

12.2

Identification	Degradability		Biodegradability	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts CAS: 68891-38-3	BOD5	Non-applicable	Concentration	10.5 mg/L
EC: 500-234-8	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %

Persistence and degradability:

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU (THIS SDS IS JUST FOR INFORMATIVE PURPOSE. THE SDS SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE

MARKET)



13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)			
20 01 29*	detergents containing hazardous substances	Dangerous			

Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:

SECTION 14: TRANSPORT INFORMATION (continued)
14.1 UN number:	Non-applicable
14.2 UN proper shipping name: Non-applicable class(es): Non-applicable	14.3 Transport nazard
Labels:	Non-applicable
14.4 Packing group:	Non-applicable
14.5 Environmental hazards: 14.6 Special precautions for user	No
Special regulations:	Non-applicable
Tunnel restriction code: No see section 9	on-applicable Physico-Chemical propertie
Limited quantities:	Non-applicable
14.7 Transport in bulk according to Annex II of Marpol and t	Nonapplicable he IBC Code:
Transport of dangerous goods by sea	:
With regard to IMDG 39-18:	
14.1 UN number: Non-applica	
14.2 UN proper shipping name: Non-applicable class(es): Non-applicable	14.3 Transport nazard
	Non-applicable
14.4 Packing group:	Non-applicable Non-applicable
14.4 Packing group. 14.5 Environmental hazards:	No
14.5 Environmental hazards: 14.6 Special precautions for user	NO
Special regulations:	Non-applicable
EmS Codes:	
Physico-Chemical properties:	see section 9
Limited quantities:	Non-applicable
Segregation group:	Non-applicable
14.7 Transport in bulk according to Annex II of Marpol and t	Nonapplicable
	With regard to IATA/ICAO 2020:
14.1 UN number:	Non-applicable
14.2 UN proper shipping name: Non-applicable class(es): Non-applicable	14.3 Transport nazara
Labels:	Non-applicable
14.4 Packing group:	Non-applicable
14.5 Environmental hazards:	No
14.6 Special precautions for user	
Physico-Chemical properties:	see section 9
14.7 Transport in bulk according to Annex II of Marpol and t	Nonapplicable he IBC

MARKET)



SECTION 15: REGULATORY INFORMATION



15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2phenoxyethanol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: 2-phenoxyethanol (Product-type 1, 2, 4, 6, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Anionic surfactants	5 <= % (w/w) < 15
Non-ionic surfactants	% (w/w) < 5
Phosphonates	% (w/w) < 5
Enzymes	

Preservation agents: 2-phenoxyethanol (PHENOXYETHANOL).

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
 Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European

Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The provider has carried out a chemical safety assessment

MARKET)



SECTION 16: OTHER INFORMATION



MARKET)

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which

Non-applicable

concerns the ways of managing risks.:

Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Eye Dam. 1: H318 - Causes serious eye damage Eye Irrit. 2: H319 - Causes serious eye irritation Skin Irrit. 2: H315 - Causes skin irritation

Classification procedure:

Mayeri

Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU (THIS SDS IS JUST FOR INFORMATIVE PURPOSE. THE SDS SHALL BE SUPPLIED IN AN OFFICIAL LANGUAGE OF THE COUNTRY WHERE THE PRODUCT IS PLACED ON THE MARKET)



Liquid stain

remover (Ecolabel) SECTION 16: OTHER INFORMATION (continued) Eye Dam. 1: Calculation method Advice related to training: Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET

Date of compilation: 31.07.2020 Version: 1

-

-