

# SAFETY DATA SHEET The Pink Stuff The Miracle Laundry Oxi Stain Remover

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name The Pink Stuff The Miracle Laundry Oxi Stain Remover

Product number BLE627

UFI: 2QD1-G0UK-R00N-H847

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laundry Stain Remover

**Uses advised against** Use only for intended applications.

## 1.3. Details of the supplier of the safety data sheet

Supplier Star Brands Limited

1175 Thorpe Park, Century Way, Leeds, LS15 8ZB England UK

+44 (0) 113 2666 300 +44 (0) 113 2666 690 sds@starbrandsltd.co.uk

Contact person sds@starbrandsltd.co.uk

## 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 113 2666 300 (09.00-17.00 Mon-Fri)

National emergency telephone UK: 0844 892 0111 (healthcare professionals only, 24/7)/ NHS 111 (public, 24/7)

number

Dublin: +353 1 8092566 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)

EU: 112

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

**Health hazards** Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

# Hazard pictograms



Signal word Warning

**Hazard statements** H319 Causes serious eye irritation.

**Precautionary statements** P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves and eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with local regulations.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

hydrogen peroxide solution ... % 5-10%

CAS number: 7722-84-1 EC number: 231-765-0

Classification

Ox. Liq. 1 - H271 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

Sodium laureth sulfate 1-5%

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

2-(2-butoxyethoxy)ethanol

CAS number: 112-34-5 EC number: 203-961-6

Classification

Eye Irrit. 2 - H319

# The Pink Stuff The Miracle Laundry Oxi Stain Remover

C12-15 PARETH-3 <1%

M factor (Acute) = 1

Classification
Eye Dam. 1 - H318
Aquatic Acute 1 - H400

C12-14 Pareth- 7 <1%

CAS number: 68439-50-9 EC number: 500-213-3

M factor (Acute) = 1

Classification

Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Keep affected person warm and at rest. Do not induce vomiting unless under the direction of

medical personnel. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. If in doubt, get medical attention promptly.

Skin contact Remove contamination with soap and water or recognised skin cleansing agent. Get medical

attention if symptoms are severe or persist.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for

several minutes. Get medical attention immediately. Continue to rinse.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use. See Section 11

for additional information on health hazards.

**Inhalation** The product is considered to be a low hazard under normal conditions of use.

**Ingestion** The product is considered to be a low hazard under normal conditions of use. Immediately

rinse mouth with lots of water, then drink 200-300 ml of water and seek medical attention.

Skin contact Prolonged skin contact may cause temporary irritation. Skin irritation should not occur when

used as recommended.

Eye contact May cause discomfort.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatments No recommendation given, but first aid may still be required in case of accidental exposure,

inhalation or ingestion of this chemical. If in doubt GET MEDICAL ATTENTION PROMPTLY!

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

# The Pink Stuff The Miracle Laundry Oxi Stain Remover

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Extinguish with the following media: Foam, carbon dioxide or dry powder.

# 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is non-combustible. The product is not flammable.

Hazardous combustion

"

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

5.3. Advice for firefighters

products

for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Use

recommended protective equipment, see section 8.

Ensure good ventilation.

For non-emergency personnel Remove persons for safety reasons

For emergency responders Wear breathing apparatus if exposed to vapours/spray/gases

#### 6.2. Environmental precautions

**Environmental precautions** Not considered to be a significant hazard due to the small quantities used. Avoid discharge

into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of contents/container in accordance with local

regulations.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes and prolonged skin contact. Avoid inhalation of vapours and

spray/mists. Provide adequate ventilation.

Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash contaminated skin thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions This product should be kept inaccessible to small children and well separated from products

intended to be consumed. Store cool and only in original packaging.

Storage class Unspecified storage.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### hydrogen peroxide solution ... %

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1.4 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 2 ppm 2.8 mg/m<sup>3</sup>

#### 2-(2-butoxyethoxy)ethanol

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

# hydrogen peroxide solution ... % (CAS: 7722-84-1)

**DNEL** Industry - Inhalation; systemic effects: 3 mg/m³

Industry - Inhalation; local effects: 1.4 mg/m<sup>3</sup>

PNEC - Marine water; 0.0126 mg/l

- Fresh water; 0.0126 mg/l

- Sediment (Freshwater); 0.0103 mg/kg

- Soil; 0.0023 mg/kg

# Sodium laureth sulfate (CAS: 68891-38-3)

Ingredient comments 68891-38-3: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol

EO)

**DNEL** Workers - Dermal; Long term systemic effects: 2750 mg/kg/day

Workers - Inhalation; Long term systemic effects: 175 mg/m³ Workers - Dermal; Long term local effects: 132 µg/cm2

General population - Oral; Long term systemic effects: 15 mg/kg/day General population - Inhalation; Long term systemic effects: 52 mg/m³ General population - Dermal; Long term systemic effects: 1650 mg/kg/day

General population - Dermal; Long term local effects: 79 µg/cm2

PNEC Fresh water; 0.24 mg/l

marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment (Freshwater); 0.9168 mg/kg Sediment (Marinewater); 0.0917 mg/kg

Soil; 7.5 mg/kg STP; 10000 mg/l

#### 2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)

**DNEL** Workers - Inhalation; Short term local effects: 101.2 mg/m³

Workers - Dermal; Long term systemic effects: 83 mg/kg/day

Workers - Inhalation; Long term systemic effects, local effects: 67.5 mg/m³

Consumer - Inhalation; Short term local effects: 60.7 mg/m<sup>3</sup> Consumer - Dermal; Long term systemic effects: 50 mg/kg/day

Consumer - Inhalation; Long term local effects, systemic effects: 40.5 mg/m³

Consumer - Oral; Long term systemic effects: 5 mg/kg/day

PNEC Fresh water; 1.1 mg/l

marine water; 0.11 mg/l Intermittent release; 11 mg/l

STP; 200 mg/l

Sediment (Freshwater); 4.4 mg/kg Sediment (Marinewater); 0.44 mg/kg

Soil; 0.32 mg/kg

#### 8.2. Exposure controls

#### Protective equipment





Appropriate engineering

controls

Avoid inhalation of vapours and spray/mists. Provide adequate ventilation.

**Eye/face protection** Wear eye protection.

Hand protection Wear protective gloves made of the following material: Nitrile Gloves Nitrile rubber. Polyvinyl

chloride (PVC). It should have a minimum thickness of 0.55mm Gloves should be discarded

and replaced if there is any indication of degradation or chemical breakthrough.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Wash hands thoroughly after handling. Do not smoke in work area.

**Respiratory protection** No specific requirements are anticipated under normal conditions of use.

Environmental exposure

controls

Ensure all engineering measures mentioned in section 7 of this SDS are in place

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Fruity.

Odour threshold No specific test data are available.

pH (concentrated solution): 3.5 - 5.5

Melting point Not applicable.

**Initial boiling point and range** Not available.

**Flash point** This product does not sustain combustion.

**Evaporation rate** No information available.

Evaporation factor Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability Not applicable.

# The Pink Stuff The Miracle Laundry Oxi Stain Remover

Vapour pressure Not known.

Vapour density Not known.

Relative density 1.01 - 1.03 g/ml @ 20°C

Bulk density Not determined.

Solubility(ies) Soluble in water.

Partition coefficient Data lacking.

Auto-ignition temperature Not known.

Decomposition Temperature Not determined.

Viscosity Not applicable.

Explosive properties Not applicable.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index No information required.

Particle size No specific test data are available.

Molecular weight No information required.

Volatility
Not available.

Saturation concentration
Not applicable.

Critical temperature
Not applicable.

Volatile organic compound No information required.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

products

No known hazardous decomposition products.

# The Pink Stuff The Miracle Laundry Oxi Stain Remover

## SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that

have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or

ATE figures provided by the Raw

Material Manufacturer.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 8,403.36

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

ATE inhalation (dusts/mists

mg/l)

8.82

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

**Aspiration hazard** Based on the available information, classification criteria are not met.

Toxicological information on ingredients.

hydrogen peroxide solution ... %

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

1,193.0

**Species** Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0

mg/kg)

**Species** Rabbit

ATE dermal (mg/kg) 2,001.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC<sub>50</sub> dust/mist mg/l)

**Species** Rat

**ATE** inhalation 2.0

(dusts/mists mg/l)

# Sodium laureth sulfate

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,001.0

2.0

**Species** Rat

ATE oral (mg/kg) 5,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0

mg/kg)

**Species** Rat

ATE dermal (mg/kg) 2,001.0

2-(2-butoxyethoxy)ethanol

Acute toxicity - oral

Notes (oral LD50) LD₅o 6600 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD<sub>50</sub> 2764 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation

(LC50 vapours mg/l)

30.0

30.0

Notes (inhalation LC₅₀) LD<sub>50</sub> 29 ppm, Inhalation, Rat

ATE inhalation (vapours

mg/l)

#### C12-15 PARETH-3

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 2,001.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0

mg/kg)

Species Rabbit

**ATE dermal (mg/kg)** 2,001.0

C12-14 Pareth- 7

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 2,000 (OECD 401) mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o 2,000 (OECD 402) mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 1.6 (OECD 403) mg/l, Inhalation, Rat

# SECTION 12: Ecological information

# 12.1. Toxicity

**Toxicity** The product contains a substance which is harmful to aquatic organisms.

# Ecological information on ingredients.

# hydrogen peroxide solution ... %

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 16.4 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 2.4 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 72 hours: 1.38 mg/l, Selenastrum capricornutum

# Sodium laureth sulfate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, : 10-100 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, : 10-100 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, : 10-100 mg/l, Scenedesmus subspicatus

# The Pink Stuff The Miracle Laundry Oxi Stain Remover

Acute toxicity - ECo, : >100 mg/l, Activated sludge

microorganisms

Chronic aquatic toxicity

**NOEC** 

Degradability --

Chronic toxicity - fish early ,: 1-10 mg/l, Leuciscus idus (Golden orfe)

life stage

Chronic toxicity - aquatic

invertebrates

,: 0.1-1.0 mg/l, Daphnia magna

2-(2-butoxyethoxy)ethanol

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 1300 : mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, >100 : mg/l, Daphnia magna

Acute toxicity - aquatic

plants

 $EC_{50}$ , >100 : mg/l, Scenedesmus subspicatus

Acute toxicity -

microorganisms

 $LC_{80}$ , >1995 : mg/l, Activated sludge

C12-15 PARETH-3

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hour: 0.1-1.0 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.1-1.0 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 0.1-1.0 mg/l, Desmodesmus subspicatus

Acute toxicity -

microorganisms

EC<sub>50</sub>, : 140 mg/l, Activated sludge

Acute toxicity - terrestrial NOEC, : 10 mg/kg,

C12-14 Pareth- 7

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

Acute toxicity - aquatic

invertebrates

NOEC, : 0.77 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

# The Pink Stuff The Miracle Laundry Oxi Stain Remover

## 12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Data lacking.

12.4. Mobility in soil

**Mobility** The product is miscible with water and may spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

12.6. Other adverse effects

Other adverse effects Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. Dispose of waste

product or used containers in accordance with local regulations

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

# **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

Not classified.

Road transport notes Not regulated.

Rail transport notes Not regulated.

Sea transport notes Not classified.

Air transport notes
14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

Not regulated.

#### 14.4. Packing group

Not applicable.

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage. Always transport in closed containers that are upright and secure.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

GHS: Globally Harmonized System.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

PNEC: Predicted No Effect Concentration.

REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

SVHC: Substances of Very High Concern.

vPvB: Very Persistent and Very Bioaccumulative. IARC: International Agency for Research on Cancer.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

cATpE: Converted acute toxicity point estimate. EC<sub>50</sub>: 50% of maximal Effective Concentration.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level. LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Asp. Tox. = Aspiration hazard Carc. = Carcinogenicity

STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure

Eye Dam. = Serious eye damage Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation

Revision date 02/02/2022

Revision 7

Supersedes date 08/01/2022

SDS number 6217

Hazard statements in full H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.